TABLE OF CONTENTS.

Yarn and Cloth Calculations.

Grading of the Various Yarns Used in the Manufacture of Textile Fabrics According to	GR
Size or Counts	
	5
Cotton Yarns.	5
Table of Lengths from No. 1 to 240's	5
Grading of Two-Ply, Three-Ply, etc., Yarns	5
To Find Weight in Ounces of a Given Number of Yards of a Known Count	6
To Find Weight in Pounds of a Given Number of Yards of a Known Count	6
To Find the Equivalent Size in Single Yarn for Two, Three or More Ply Yarn Composed of Minor Threads of	
Unequal Counts.	7
Woolen Yarns	8
A. "Run" System	8
Table of Lengths from ¼-run to 15-run	8
To Find the Weight in Ounces of a Given Number of Yards of a Known Count	8
To Find the Weight in Pounds of a Given Number of Yards of a Known Count	9
B. "Cut" System.	9
Table of Lengths from 1-cut to 50-cut Yarn.	9
To Find the Weight in Ounces of a Given Number of Yards of a Known Count	9
To Find the Weight in Pounds of a Given Number of Yards of a Known Count	9
Grading of Double and Twist or More Ply Yarns	10
Worsted Yarns	
Table of Lengths from No. 1 to 200's	
Grading of Two-ply, Three-ply, etc., Yarns	TI
To Find the Weight in Ounces of a Given Number of Yards of a Known Count	II
To Find the Weight in Pounds of a Given Number of Yards of a Known Count	12
To Find the Equivalent Size in Single Yarn of Two, Three or More Ply Yarn Composed of Minor Threads of	
Unequal Counts	12
Silk Yarns,	
A. Spun Silks	
B. Raw Silks.	
Length of raw Silk Yarns per Pound and per Ounce from 1 to 30 Drams	
Linen Yarns, Jute Yarns, China Grass and Ramie.	
To Find the Equivalent Counts of a Given Thread in Another System	
A. Cotton, Woolen and Worsted Yarns	14
B. Spun Silk Yarns Compared to Cotton, Woolen or Worsted Yarns	
C. Linen Yarns, Jute and Ramie	
D. Raw Silk Yarns Compared to Spun Silk, Cotton, Woolen or Worsted Yarns	16
To Ascertain the Counts of Twisted Threads Composed of Different Materials	
If Compound Thread is Composed of Two Minor Threads of Different Materials	-
If Compound Thread is Composed of Three Minor Threads of Two or Three Different Materials	-/ 17
	-/
To Ascertain the Counts for a Minor Thread to Produce, with Other Given Minor	
Threads, Two, Three or More Ply Yarn of a Given Count	18
A. One System of Yarn	18
B. Two Systems of Yarns	

	70, Three or More Ply Yarn
A. Double and T	ist Yarn
	Threads of the Same Material.
	Threads of Different Materials
	Ply Yarns
	Threads of the Same Material
-	Threads of Different Materials
To Ascertain the	e Cost of Two, Three or More Ply Yarn
Composed Either of	Different Qualities of Yarn only, or of the Latter Item in Addition to Different Coun
	Threads is of a Different Material than the Other
	is Composed of Minor Threads of Unequal Counts as well as of a Different Price
	is Composed of Minor Threads of different Materials as well as of Different Prices
	an or Average Value of Yarns of Mixed Stocks
To Find Quantity of	n Price of a Mixture when Price and Quantity of Each Ingredient are Given Each Kind Wool to Use in a Mixture of a Given Value
To Find Quantity of the Prices of the	Each Kind to Use when the Quantity of One Kind, the Different Prices of Each Kind Mixture are Given
Reed Calculati	ns
	n Warp Knowing Reed Number, Threads per Dent and Width of Warp in Reed
	Sumber if Number of Ends in Warp and Width in Reed are Known
To Ascertain Widtl	of Warp in Reed if Reed Number, Threads per Dent and Threads in Warp are Known
	ons
	Warp if Number of Ends, Counts and Length are given
	erent Kinds of Yarn are Used
	Required to be Found for One Yard only.
is for the Total	scertain the Weight of a Warp Dressed with Yarns of Various Counts and Answer Req
be Used are G	for Warp Yarn if Number of Ends in Warp and Amount of Material, Length and Weig
To Find Threads to	Use if Counts of Yarns, Lengths and Weight of Warp are Given
To Find Length of	Warp if Number of Ends, Counts and Weight of Yarn are Given
	Different Materials are Used in the Construction of Cloth
Filling Calculate	ons
per Inch and V	of Filling Yarn Required for Producing One or a Given Number of Yards of cloth, if lidth of Cloth in Reed are Known
To Find Weight of	Filling Yarn Required, Expressed in Ounces, producing One Yard of Cloth, if Picks per
Width of Cloth	n Reed and the Counts of Yarn are Known.
if Picks per Inc	Filling Yarn Required, Expressed in Pounds or Fraction Thereof, for any Number of Yarn are Known
Each Kind	rent Kinds of Filling Yarn are Used, and it is Required to Ascertain Weight of Materia
	ual, and Lots Differ only in Color or Twist
	Different Counts of Materials are Used
	a Filling Yarn Required to Produce a Given Weight per Yard Cloth
	efers to Weight Given in Ounces for One Yard
To Find the Picks	o a Given Number of Yards and Weight is Expressed in Pounds
	erent Counts of Filling Yarn are Used
If Amongoment of	o Counts of the Filling is of a Simple Form
II Arrangement as	Silling has a Large Number of Picks in Repeat
To Assertain North	er of Yards of Cloth Woven for a Certain Amount of Yarn on Hand
	the Amount and Cost of the Materials Used in the Construction
10 Ascertain	the Amount and Cost of the Materials Osed in the Construction

Cotton Dress Goods	
Woolen Tricot Suiting,	•••••
Worsted Suiting.	•••••
Fancy Cotton Proce Coods	
Fancy Cotton Dress Goods	
Beaver Overcoating	
Ingrain Carpet (Extra Fine; Cotton Chain; Worsted Filling)	***************************************
Ingrain Carpet (Extra Super; Worsted Chain)	•••••
Structure of Textile Fabrics.	
The Purpose of Wear that the Fabric will Be Subject to	
The Nature of Raw Materials	
Counts of Yarn Required to Produce a Perfect Structure of Cloth.	
To Find the Number of Ends which, in Cotton, Woolen, Worsted, Linen and Silk Yarns, can I One Inch	Lie Side by Side in
Table Showing the Number of Ends of Cotton Yarn from Single 5's to 2/160's that will Lie Signature.	de by Side in One
Table Showing Number of Ends of Woolen Yarn "Run Basis," from 1-run to 10-run, that Side in One Inch.	t will Lie Side by
Table Showing the Number of Ends of Woolen Yarn "Cut Basis" from 6-cut to 50-cut, that Side in One Inch	will Lie Side by
Table Showing the Number of Ends of "Worsted Yarn," from 5's to 2/160's that will Lie Sic Inch	de by Side in One
Table Showing the Number of Ends of Raw Silk Yarn, from 20 Drams to 1 dram, that will L One Inch	ie Side by Side in
Table Showing the Number of Ends of Linen Yarns, from 10's to 100's, that will Lie Side by S	side in One Inch
To Find the Diameter of a Thread by Means of a Given Diameter of Another Count of Yarn	ac in one men
To Find the Counts of Yarn Required for a Given Warp Texture by Means of a Known Warr	Texture with the
Respective Counts of the Yarn Given	
A. Dealing with One Material	
B. Dealing with Two or More Materials	•••••
Influence of the Twist of Yarns upon the Texture of a Cloth.	
To Find the Amount of Twist Required for a Yarn if the Counts and Twist of a Yarn of the	Same System, bu
of Different Counts, are Known	••••••
Influence of the Weave upon the Texture of a Fabric	·····
To Find the Texture of a Cloth To Change the Texture for Given Counts of Yarn from one Weaver to Another	
To Change the Weight of a Fabric without Influencing its General Appearance	
I. Given Cloth	
2. Required Cloth	***************************************
I. Given Cloth	·
2. Required Cloth	
To Find number of Ends Per Inch in Required Cloth	
Weaves which will Work with the Same Texture as the 2 Twill	
Weaves which will Work with the Same Texture as the 3 4 4 etc. Twill	
Selections of the Proper Texture for Fabrics Interlaced with Satin Weaves	
Selections of the Proper Texture for Fabrics Interlaced with Satin Weaves	,
Warn Effects	,
Warp Effects Filling Effects	
Figured Rib Weaves	***************************************
Selections of the Proper Texture for Fabrics Interlaced with Corkscrew Weaves	***************************************
Belection of the Proper Texture for Fabrics Constructed with Two Systems Filling and One Sy	
Selection of the Proper Texture for Fabrics Constructed with Two Systems Fining and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Warp and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Fining and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Fining and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Fining and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Fining and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Fining and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Fining and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Warp and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Warp and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Warp and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Warp and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Warp and One Systems of the Proper Texture for Fabrics Constructed with Two Systems Warp and One Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for Fabrics Constructed with Two Systems of the Proper Texture for F	stem Filling
Selection of the Proper Texture for Fabrics Constructed with Two Systems Warp and Two Sys	stems Filling
One End Face, to Alternate with One End Back in Warp and Filling	a r ming
Two Ends Face, to Alternate with One End Back in Warp and Filling	***************************************

Analysis.

How to Ascertain the Raw Materials Used in the Construction of Textile Fabrics	
Microscopical Appearance of Fibres	
Cotton	
Silk, Wild Silk, Weighted Silk	86
Wool, Untrue Fibres, Kemps, Shoddy, Mungo, Extract, Foreign Wools, Mohair, Cashmere, Alpaca, Vicugna,	0.0
Llama, Camel's Hair, Cow's Hair	
Flax, Hemp, Jute and China Grass	
Tests for Ascertaining the Raw Materials Used in the Construction of Yarns or Fabrics	
Cotton, Linen, Jute, China Grass, Silk and Wool	
Wool and Cotton, Silk and Cotton, Percentage, Wool and Silk, Cotton Wool and Silk	
How to Test the Soundness of Fibres or Yarns	
Illustration and Description of a Testing Machine	
How to Test Given Counts of Yarn	
How to Ascertain the Weight of Cloth per Yard from a Small Sample	
How to Calculate the Weight of Finished Cloth	
How to Test and Analyze the Various Finishes of Cotton Goods	98
The Best Size for Cotton Goods	
To Ascertain the Percentage of Size	100
Substances Used in Finishing Cotton Cloth	100
Cotton Spinning	101
Power Required to Drive the Various Machines in a Cotton Mill—Speed of the Various Machines in a Cotton Mill—Heat and Moisture Required for Good Cotton Spinning and Weaving—Sliver Table—Roving Table—Calculation for Varns 20's to 26's from the Lap to the Varn—How to Ascertain the Capacity of a Carding Engine—How to Find the Number of Carding Engines to Give a Regular Supply of Cotton to Each Drawing Frame—How to Find the Quantity of Filleting Required to Cover a Card Cylinder or Doffer—Traveler Table for Spinning at Medium Speeds—To Calculate Loss of Twist in Ring Spinning—To Find the Percentage Cotton Yarn Contracts in Twisting—How to Ascertain the Number of Yards of Cotton Yarn on Bobbin—Twist Table—Draper's Table of the Breaking Weight of American Warp Yarns per Skein—Table Giving the Amount of Twist for the Various Kinds of Twisted Yarns—Production of Drawing Frames—	
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers.	
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers. Speed, Belting, Power, Etc.	107
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers.	
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers. Speed, Belting, Power, Etc. Speed How to Find the Circumference of a Circle or of a Pulley—How to Compute the Diameter of a Circle or of a Pulley—How to Compute the Area of a Circle—How to Determine the Speed of a Driven Shaft—A Pair of Mitre Wheels—How to Compute the Velocities, etc., of Toothed Gears—The Pitch of a Gear—Bevel Gears—The Pitch Line of a Gear—To Measure the Diameter of a Gear—To Ascertain the Pitch of a Gear—Driving-Driven—How to Distinguish the Driver from the Driven Wheel—How to Find the Speed of the Driving Wheel—How to Obtain the Size of the Driving Wheel—How to Obtain the Size of the Driven Wheel—Worm Wheels—A Mangle Wheel—How to Change the Speed of a Driven Pulley, Shaft or Wheel—To Increase the Speed by Increasing the Size of Driven Wheel—How to Ascertain the Circumferential Velocity of a Wheel, Driver or Cylinder—How to Find the Speed of Last Shaft—How to Ascertain the Number of Revolutions of the Last Wheel at the End of a Train of Spur Wheels—How to Ascertain the Number of Teeth in Each Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel of a Train of Wheels—How to Straighten a Crooked Shaft—How to Cool a Hot Shaft—Cooling Compound—Steel and Iron—How to Harden Cast Iron. Belting	
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers. Speed, Belting, Power, Etc. Speed How to Find the Circumference of a Circle or of a Pulley—How to Compute the Diameter of a Circle or of a Pulley—How to Compute the Area of a Circle—How to Determine the Speed of a Driven Shaft—A Pair of Mitre Wheels—How to Compute the Velocities, etc., of Toothed Gears—The Pitch of a Gear—Bevel Gears—The Pitch Line of a Gear—To Measure the Diameter of a Gear—To Ascertain the Pitch of a Gear—Driving-Driven—How to Distinguish the Driver from the Driven Wheel—How to Find the Speed of the Driving Wheel—How to Obtain the Size of the Driving Wheel—How to Obtain the Size of the Driven Wheel—How to Obtain the Size of the Driven Wheel—How to Obtain the Size of the Driven Wheel—How to Obtain the Size of Driven Wheel—How to Ascertain the Circumferential Velocity of a Driven Pulley, Shaft or Wheel—To Increase the Speed by Decreasing the Size of Driven Wheel—How to Ascertain the Circumferential Velocity of a Wheel, Driver or Cylinder—How to Find the Speed of Last Shaft—How to Ascertain the Number of Revolutions of the Last Wheel at the End of a Train of Spur Wheels—How to Ascertain the Number of Teeth in Each Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel of a Train of Wheels—How to Straighten a Crooked Shaft—How to Cool a Hot Shaft—Cooling Compound—Steel and Iron—How to Harden Cast Iron. Belting Rules for Calculating the Width of Leather Belting (Single) Required for Given Power—Table of Safe, Actual Width of Single Belts to Transmit Given Power at Given Speeds—To Find the Length of a Driving Belt Before the Pulleys are in Position—How to Find Where to Cut Belt-Holes in Floors.	III
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers. Speed, Belting, Power, Etc. Speed	III
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers. Speed, Belting, Power, Etc. Speed How to Find the Circumference of a Circle or of a Pulley—How to Compute the Diameter of a Circle or of a Pulley—How to Compute the Area of a Circle—How to Determine the Speed of a Driven Shaft—A Pair of Mitre Wheels—How to Compute the Velocities, etc., of Toothed Gears—The Pitch of a Gear—Bevel Gears—The Pitch Line of a Gear—To Measure the Diameter of a Gear—To Ascertain the Pitch of a Gear—Driving-Driven—How to Distinguish the Driver from the Driven Wheel—How to Find the Speed of the Driving Wheel—How to Obtain the Size of the Driving Wheel—How to Obtain the Size of the Driven Wheel—How to Obtain the Size of the Driven Wheel—How to Obtain the Size of the Driven Wheel—How to Obtain the Size of Driven Wheel—How to Ascertain the Circumferential Velocity of a Driven Pulley, Shaft or Wheel—To Increase the Speed by Decreasing the Size of Driven Wheel—How to Ascertain the Circumferential Velocity of a Wheel, Driver or Cylinder—How to Find the Speed of Last Shaft—How to Ascertain the Number of Revolutions of the Last Wheel at the End of a Train of Spur Wheels—How to Ascertain the Number of Teeth in Each Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel of a Train of Wheels—How to Straighten a Crooked Shaft—How to Cool a Hot Shaft—Cooling Compound—Steel and Iron—How to Harden Cast Iron. Belting Rules for Calculating the Width of Leather Belting (Single) Required for Given Power—Table of Safe, Actual Width of Single Belts to Transmit Given Power at Given Speeds—To Find the Length of a Driving Belt Before the Pulleys are in Position—How to Find Where to Cut Belt-Holes in Floors.	1112
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers. Speed, Belting, Power, Etc. Speed	1112
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers. Speed, Belting, Power, Etc. Speed How to Find the Circumference of a Circle or of a Pulley—How to Compute the Diameter of a Circle or of a Pulley—How to Compute the Area of a Circle—How to Determine the Speed of a Driven Shaft—A Pair of Mitre Wheels—How to Compute the Velocities, etc., of Toothed Gears—The Pitch of a Gear—Bevel Gears—The Pitch Line of a Gear—To Measure the Diameter of a Gear—To Ascertain the Pitch of a Gear—Driving-Driven—How to Distinguish the Driver from the Driven Wheel—How to Find the Speed of the Driving Wheel—How to Obtain the Size of the Driving Wheel—How to Obtain the Size of the Driven Wheel—Worm Wheels—A Mangle Wheel—How to Change the Speed of a Driven Pulley, Shaft or Wheel—To Increase the Speed by Increasing the Size of Driven Wheel—How to Ascertain the Circumferential Velocity of a Wheel, Driver or Cylinder—How to Find the Speed of Last Shaft—How to Ascertain the Number of Revolutions of the Last Wheel at the End of a Train of Spur Wheels—How to Ascertain the Number of Teeth in Each Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel of a Train of Wheels—How to Straighten a Crooked Shaft—How to Cool a Hot Shaft—Cooling Compound—Steel and Iron—How to Harden Cast Iron. Belting Rules for Calculating the Width of Leather Belting (Single) Required for Given Power—Table of Safe, Actual Width of Single Belts to Transmit Given Power at Given Speeds—To Find the Length of a Driving Belt Before the Pulleys are in Position—How to Find Where to Cut Belt-Holes in Floors. Water Power Steam Power	1112
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers. Speed, Belting, Power, Etc. Speed How to Find the Circumference of a Circle or of a Pulley—How to Compute the Diameter of a Circle or of a Pulley—How to Compute the Area of a Circle—How to Determine the Speed of a Driven Shaft—A Pair of Mitre Wheels—How to Compute the Velocities, etc., of Toothed Gears—The Pitch of a Gear—Bevel Gears—The Pitch Line of a Gear—To Measure the Diameter of a Gear—To Ascertain the Pitch of a Gear—Driving-Driven—How to Distinguish the Driver from the Driven Wheel—How to Find the Speed of the Driving Wheel—How to Obtain the Size of the Driving Wheel—How to Obtain the Size of the Driver Wheel—How makes—A Mangle Wheel—How to Change the Speed of a Driven Pulley, Shaft or Wheel—To Increase the Speed by Increasing the Size of Driven Wheel—How to Ascertain the Circumferential Velocity of a Wheel, Driver or Cylinder—How to Find the Speed of Last Shaft—How to Ascertain the Number of Revolutions of the Last Wheel at the End of a Train of Spur Wheels—How to Ascertain the Number of Teeth in Each Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel for a Train of Spur Wheels—How to Straighten a Crooked Shaft—How to Cool a Hot Shaft—Cooling Compound—Steel and Iron—How to Harden Cast Iron. Belting Rules for Calculating the Width of Leather Belting (Single) Required for Given Power—Table of Safe, Actual Width of Single Belts to Transmit Given Power at Given Speeds—To Find the Length of a Driving Belt Before the Pulleys are in Position—How to Find Where to Cut Belt-Holes in Floors. How to Manage Belts Water Power Steam Power Heat	111 112 114 114 115
Table Giving Production per Spindle for Warp and Filling Yarn from 4's to 60's—Production of Cards at Various Speeds with Various Weights of Slivers. Speed, Belting, Power, Etc. Speed How to Find the Circumference of a Circle or of a Pulley—How to Compute the Diameter of a Circle or of a Pulley—How to Compute the Area of a Circle—How to Determine the Speed of a Driven Shaft—A Pair of Mitre Wheels—How to Compute the Velocities, etc., of Toothed Gears—The Pitch of a Gear—Bevel Gears—The Pitch Line of a Gear—To Measure the Diameter of a Gear—To Ascertain the Pitch of a Gear—Driving-Driven—How to Distinguish the Driver from the Driven Wheel—How to Find the Speed of the Driving Wheel—How to Obtain the Size of the Driving Wheel—How to Obtain the Size of the Driven Wheel—Worm Wheels—A Mangle Wheel—How to Change the Speed of a Driven Pulley, Shaft or Wheel—To Increase the Speed by Increasing the Size of Driven Wheel—How to Ascertain the Circumferential Velocity of a Wheel, Driver or Cylinder—How to Find the Speed of Last Shaft—How to Ascertain the Number of Revolutions of the Last Wheel at the End of a Train of Spur Wheels—How to Ascertain the Number of Teeth in Each Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel for a Train of Spur Wheels—How to Find the Number of Revolutions of the Last Wheel of a Train of Wheels—How to Straighten a Crooked Shaft—How to Cool a Hot Shaft—Cooling Compound—Steel and Iron—How to Harden Cast Iron. Belting Rules for Calculating the Width of Leather Belting (Single) Required for Given Power—Table of Safe, Actual Width of Single Belts to Transmit Given Power at Given Speeds—To Find the Length of a Driving Belt Before the Pulleys are in Position—How to Find Where to Cut Belt-Holes in Floors. Water Power Steam Power	1112 114 114 115 116